

PCT/EP 2004/008507

NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl, -C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br, and whereby said cycloaliphatic radical may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted heteroaryl radical, which may be bonded via an optionally mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

an optionally at least mono-substituted, monocyclic aryl radical, which is condensed with an optionally at least mono-substituted mono- or polycyclic ring-system and which may be bonded via an optionally at least mono-substituted alkylene group,

a -NR¹⁶R¹⁷-moiety,

a -COR¹⁸-moiety,

or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

PCT/EP 2004/008507

2,2,2,-Trifluoroethoxy-, C₂₋₆-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-,
N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-
methyl-3-furoate, C₁₁₋₂₀-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-,
pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-,
5 difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl,
morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at
least mono-substituted with C₁₋₅-alkoxy, a phenyl group, which is at least
mono-substituted with one of the substituents selected from the group
consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-
10 alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-
methoxy]-, -(C=O)-H and -(C=O)-C₁₋₅-alkyl, a pyridinyl group, which is at
least mono-substituted with C₁₋₅-alkoxy, a pyridinyloxy group, which is at
least mono-substituted with C₁₋₅-alkoxy, a phenoxy group, which is at
least di-substituted and a pyridinyloxy group, which is at least di-
15 substituted,

with the proviso that W does not represent unsubstituted furyl-, unsubstituted
thienyl- or thienyl substituted with a substituent selected from the group
consisting of C₁₋₅-alkoxycarbonyl, C₁₋₅-alkylcarbonyl, carboxyl and pyridyl,
20 unsubstituted pyrrolyl-, unsubstituted naphthyl, unsubstituted indolyl,
unsubstituted tetrahydronaphthyl, substituted or unsubstituted pyridyl,
unsubstituted pyrazinyl, unsubstituted quinolinyl-, C₁₋₅-alkylsubstituted pyrrolyl-
, and unsubstituted cyclohexyl or cyclohexyl substituted with one or two
members selected from the group consisting of oxo, hydroxyl, C₁₋₅-alkoxyl, C₁₋₅-
25 s-alkoxy-carbonylamino-C₁₋₅ alkyl and amino-C₁₋₅ alkyl,

R¹⁰ represents hydrogen, an unbranched or branched, saturated or
unsaturated, optionally at least mono-substituted aliphatic radical, a saturated
or unsaturated, optionally at least mono-substituted, optionally at least one
30 heteroatom as ring member containing cycloaliphatic radical, which may be
bonded via an optionally at least mono-substituted alkylene group and/or may
be condensed with an optionally at least mono-substituted mono- or polycyclic
ring-system, or an optionally at least mono-substituted aryl- or heteroaryl
radical, which may be bonded via an optionally at least mono-substituted

PCT/EP 2004/008507

alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

5 R^{11} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

10
15 R^{12} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

20
25 R^{13} and R^{14} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may

PCT/EP 2004/008507

be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13} and R^{14} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, and

R^{18} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a corresponding salt thereof, or a corresponding solvate.

2. Compounds according to claim 1, characterized in that R^1 , R^2 , R^3 , R^4 are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally

PCT/EP 2004/008507

at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano, $-OR^{10}$, $-OC(=O)R^{11}$, $-SR^{12}$, $-SOR^{12}$, $-SO_2R^{12}$, $-NH-SO_2R^{12}$, $-SO_2NH_2$ and a $-NR^{13}R^{14}$ moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C_{1-3} -aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_5 - or C_6 -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_1 - or C_2 -alkylene group, a nitro, cyano, $-OR^{10}$, $-OC(=O)R^{11}$, $-SR^{12}$ and $-NR^{13}R^{14}$ moiety, more preferably selected from the group consisting of H, F, Cl, $-CH_3$, $-CH_2CH_3$, $-CF_3$, $-CF_2CF_3$, cyclopentyl, cyclohexyl, a nitro group, a cyano group and $-OR^{10}$.

3. Compounds according to claim 1 or 2, characterized in that R^5 represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, preferably represents H or a branched or unbranched C_{1-3} -alkyl radical, more preferably represents H, $-CH_3$ or $-CH_2CH_3$.

4. Compounds according to any one of claims 1 to 3, characterized in that R^6 , R^7 , R^8 , R^9 are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, a cyano group and a $-COOR^{15}$ moiety, preferably selected from the group consisting of H, a branched or unbranched C_{1-3} -alkyl radical, a cyano group and a $-COOR^{15}$ group, more preferably from the group consisting of H, $-CH_3$, $-CH_2CH_3$ and a cyano moiety.

PCT/EP 2004/008507

5. Compounds according to any one of claims 1 to 4, characterized in that W represents an unbranched or branched C₁₁₋₂₀-alkyl radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C₁₋₄-alkoxy, branched or unbranched C₁₋₄-perfluoroalkoxy, branched or unbranched C₁₋₄-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, -SO₂NH₂, -CO-C₁₋₄-alkyl, -SO-C₁₋₄-alkyl, -SO₂-C₁₋₄-alkyl, -NH-SO₂-C₁₋₄-alkyl, wherein the C₁₋₄-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, pyridinyl, pyrimidinyl, quinolinyl and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy; a naphthyl group, which is at least mono substituted, a quinolinyl group, which is at least mono-substituted, a pyrrolyl group, which is at least mono-substituted by a substituent other than C₁₋₅-alkyl, an optionally at least mono-substituted thiazolyl-, benzo[b]-thiophenyl-, benzo[b]-furanyl-, isoquinolinyl-, tetrahydroisoquinolinyl-, pyrazolyl-, isoazolyl-, chromanyl-, benzothiadiazolyl-, imidazolyl-, benzofurazanyl-, dibenzo[b,d]-furanyl-, benzoxadiazolyl-, imidazo[2,1-b]-thiazolyl-, anthracenyl-, coumarinyl-, 2,3-Dihydro-1,4-benzodioxinyl-, 2,3-Dihydrobenzo[b]furanyl-, 3,4-Dihydro-2H-1,4-Benzoxazinyl-, 3,4-Dihydro-2H-1,5-Benzodioxepinyl-, Benzothiazolyl-, Imidazo[1,2-a]-pyridinyl-, a chromonyl-group, an isatinyl group, a pentamethyldihydrobenzofuranyl group, a cyclopropyl- or cyclopentyl-group whereby said cyclopropyl or cyclopentyl group may be substituted by one or more substituents selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C₁₋₂₀-alkyl, partially fluorinated C₁₋₄ alkyl, partially chlorinated C₁₋₄ alkyl, partially brominated C₁₋₄ alkyl, C₁₋₅-alkoxy, partially fluorinated C₁₋₄ alkoxy, partially chlorinated C₁₋₄ alkoxy, partially brominated C₁₋₄ alkoxy, C₂₋₆-alkenyl, SO₂-C₁₋₄-alkyl, -(C=O)-C₁₋₅-alkyl, -(C=O)-O-C₁₋₅-alkyl, -(C=O)-Cl, -S-C₁₋₄-alkyl, -(C=O)-H, -NH-(C=O)-NH-C₁₋₅-alkyl, -(C=O)-C₁₋₄-perfluoroalkyl, -NR^AR^B, wherein R^A and R^B are independently selected from the group consisting of H, C₁₋₄-alkyl and phenyl, NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylene-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl,

PCT/EP 2004/008507

substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl, where
5 by said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl, -C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂F, -(C=O)-CH₂Cl and -(C=O)-CH₂Br, a 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl, a thienyl group, which is at
15 least mono-substituted by one or more substituents independently selected from the group consisting of F, Cl, Br, C₁₋₅-alkoxy-, CF₃, -SO₂-C₁₋₅-alkyl and optionally at least mono substituted benzoylaminomethyl-, phenylsulfonyl-, isoxazolyl-, benzamidomethyl-, pyrimidyl-, thiazolyl-, pyrazolyl-, phenyl-, 1,2,4-thiadiazolyl-, 1,3-oxazolyl- or 1,2,4-oxadiazolyl-, a furyl group, which is at least
20 mono-substituted by one or more substituents independently selected from the group consisting of a C₁₋₅-alkyl radical, which may be at least partially fluorinated or chlorinated, an optionally at least mono-substituted phenyl and a -(C=O)-O-C₁₋₅-alkyl group,

20 a NR¹⁶R¹⁷-moiety,

25 a COR¹⁸-moiety,

25 or a phenyl radical, which is at least mono-substituted with one of the substituents selected from the group consisting of:

30 2,2,2-Trifluoroethoxy-, C₂₋₆-Alkenyl-, 1,3-Dihydro-1-oxo-2H-isoindol-2-yl-, N-Phthalimidinyl-, [(2-chloro-1,3-thiazolyl-5-yl)-methoxy, Ethyl-5-yl-2-methyl-3-furoate, C₁₁₋₂₀-alkyl-, 1,3-Dioxo-2-azaspiro[4,4]non-2-yl-, pyrazolyl-, (1,3-oxazol-5-yl)-, (5-Methyl-1,3,4-oxadiazol-2-yl)-, difluoromethoxy, dichloromethoxy, 1-pyrrolidinylsulfonyl, morpholinosulfonyl, 2-methyl-4-pyrimidinyl-, a phenoxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenyl group, which is at least mono-substituted with one of the

PCT/EP 2004/008507

substituents selected from the group consisting of nitro, C₁₋₅-alkoxy, F, Cl, Br, at least partially fluorinated C₁₋₅-alkyl, at least partially chlorinated C₁₋₅-alkyl, [(2-Chloro-1,3-thiazol-5-yl)-methoxy], -(C=O)-H and -(C=O)-C₁₋₅-alkyl, a pyridinyl group, which is at least mono-substituted with C₁₋₅-alkoxy, a pyridinyloxy group, which is at least mono-substituted with C₁₋₅-alkoxy, a phenoxy group, which is at least di-substituted and a pyridinyloxy group, which is at least di-substituted,

more preferably W represents a moiety selected from the group consisting of 5-Dimethylamino-naphth-1-yl, 2-Acetamido-4-methyl-5-thiazolyl-, Trifluoromethyl-, Trichloromethyl-, Isopropyl-, Methyl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 6-(p-toluidino)-naphth-2-yl-, 4,5-Dibromo-thiophene-2-yl-, Benzoylchloride-3-yl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 1-Decyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichlorothiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenylsulphonyl)-thiophene-2-yl-, 2-Phenylsulphonyl-thiophene-5-yl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl-, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-chloro-2-cyanophenoxy)-phenyl-, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 5-(Di-n-propylamino)-naphth-1-yl-, 2,2,5,7,8-Pentamethyl-chroman-6-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, Vinyl-phenyl-4-yl-, 5-Dichloro-methyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, Dibenzo[b,d]-furan-2-yl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 5-[2-(Methylthio)pyrimidin-4-yl]-thiophene-2-yl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 6-Chloro-imidazo(2,1-b)-thiazole-5-yl-, 3-Methylbenzo[b]-thiophene-2-yl-, 4-[[3-Chloro-5-(Trifluoromethyl)-2-pyridyl]oxy-phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-,

PCT/EP 2004/008507

Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethylbenzoyl-, 4'-Nitro-biphenyl-4-yl-,
 (1,3-Dihydro-1-oxo-2H-isoindol-2-yl)-4-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-
 thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl)-thiophene-2-yl-, 5-
 [5-Trifluoromethyl]-isoxazol-3-yl]-thiophene-2-yl-, p-Dodecyl-phenyl-, 4-[(3-
 5 Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-,
 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 1,2-Dimethylimidazole-
 4-yl-, 2,2,4,6,7-Pentamethyldihydrobenzofuran-5-yl-, 4-Chloro-naphth-1-yl-,
 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, [4-(3,5-
 Dichlorophenoxy)phenyl]-, [4-(3,4-Dichlorophenoxy)phenyl]-, [4-(3,5-
 Bis(trifluoromethylphenoxy)phenyl]-, 3-(2-Methoxy-phenoxy)-phenyl, 3-(4-
 Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-
 phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-Fluorophenyl)-phenyl-,
 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-(Trifluoromethyl)-phenyl]-
 phenyl-, 4-(2-Methoxy-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-phenyl-, 4-(4-
 15 Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-
 Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-
 phenyl-, 4-[4-(Trifluoromethyl)-phenyl]-phenyl-, 4-[3,5-Bis-(Trifluoromethyl)-
 phenyl]-phenyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-
 Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-
 20 pyrazol-3-yl-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluoroethoxy)-phenyl-, 4-
 [(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 2-(1,3-Dioxo-1,3-dihydro-
 isoindol-2-yl)-ethyl-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-
 carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-,
 Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl, Ethyl-5-(4-chlorophenyl)-2-
 25 methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-
 Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, Coumarin-6-yl, 3-(4-
 Methoxy-phenoxy)-phenyl-, [3-(3,5-Dichlorophenoxy)]-phenyl-, [3-(3,4-
 Dichlorophenoxy)]-phenyl-, 3,5-Bis(Trifluoromethyl)phenoxyphenyl-, 2,2-
 Diphenylethyl-, 4-Phenyl-5-(trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-
 30 5-(Trifluoromethyl)-thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-
 trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 5-Fluoro-3-
 methylbenzo[b]-thiophene-2-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-
 furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-
 Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-

PCT/EP 2004/008507

Trimethyl-1H-pyrazole-4-yl-, Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazolyl)-thiophene-2-yl-, 5-(5-Isoxazol-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluormethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-isoxazolyl, 2,1,3-Benzothiadiazole-5-yl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinoliny-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl]-1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 2,2-Dimethyl-6-Chromanyl-, Ethyl-3,5-dimethyl-1H-pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl)-phenyl]-2-methyl-3-furoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 1-Methyl-5-Isatinyl-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl- and 3-(2-Methyl-4-pyrimidinyl)-phenyl-

6. Compounds according to any one of claims 1 to 5, characterized in that R¹⁰ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₆-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

PCT/EP 2004/008507

preferably H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

7. Compounds according to any one of claims 1 to 6, characterized in that R¹¹ represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.
8. Compounds according to any one of claims 1 to 7, characterized in that R¹² represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

PCT/EP 2004/008507

9. Compounds according to any one of claims 1 to 8, characterized in that R^{13} and R^{14} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C_{1-4} -alkyl radical, a cyclohexyl radical and a phenyl radical, more preferably are each independently selected from the group consisting of H, $-CH_3$, $-C_2H_5$ and phenyl.
10. Compounds according to any one of claims 1 to 8, characterized in that R^{13} and R^{14} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.
11. Compounds according to any one of claims 1 to 10, characterized in that R^{15} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear

PCT/EP 2004/008507

or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, -CH₃, -C₂H₅ or phenyl.

12. Compounds according to any one of claims 1 to 11, characterized in that R¹⁶ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆ aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C₁₋₃ alkyl radical, more preferably a methyl radical.

13. Compounds according to any one of claims 1 to 12, characterized in that R¹⁷ represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆ aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C₁₋₃ alkyl radical, more preferably a methyl radical.

14. Compounds according to one or more of claims 1 to 13:


1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,


and corresponding salts thereof, and corresponding solvates.

15. Process for the preparation of benzoxazinone-derived sulfonamide compounds of general formula (I) according to one or more of claims 1 to 14, characterized in that it comprises reacting at least one piperidine compound of general formula (II), wherein R¹ to R⁹ have the meaning according to claim 1, and/or a salt, preferably a hydrochloride salt, thereof,



(II)

with at least one compound of general formula (III),



(III)

wherein W has the meaning according to claim 1, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

16. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 1-14, characterized in that at least one compound of general formula (I) having at least one basic group is reacted with at least one acid, preferably an inorganic or organic acid, preferably in the presence of a suitable reaction medium.


PCT/EP 2004/008507

17. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 1-14, characterized in that at least one compound of general formula (I) having at least one acidic group is reacted with at least one base, preferably in the presence of a suitable reaction medium.
18. Medicament comprising at least one benzoxazinone-derived sulphonamide compound according to any one of claims 1-14, optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively, and optionally one or more pharmaceutically acceptable adjuvants.
19. Medicament according to claim 18 for cognitive enhancement, for the prophylaxis and/or treatment of food ingestion (food intake) disorders, particularly for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, bulimia, anorexia, cachexia or type II diabetes (Non-Insulin Dependent Diabetes Mellitus), preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as irritable intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ADHC (attention deficit, hyperactivity disorders).
20. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 1-14, optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, for the manufacture of a medicament for cognitive enhancement, for the prophylaxis and/or treatment of food ingestion (food intake) disorders, particularly for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, bulimia, anorexia, cachexia or type II

PCT/EP 2004/008507

diabetes (Non-Insulin Dependent Diabetes Mellitus), preferably type II diabetes, which is caused by obesity, disorders of the central nervous system, disorders of the gastrointestinal tract, such as Irritable Intestine syndrom, anxiety, panic, depression, cognitive memory disorders, senile dementia disorders, such as Morbus Alzheimer, Morbus Parkinson and Morbus Huntington, schizophrenia, psychosis, infantile hyperkinesia or ADHC (attention deficit, hyperactivity disorders).

21. Use of at least one benzoxazinone-derived sulfonamide compound of general formula (Ia),



(Ia)

wherein

R^{1a} , R^{2a} , R^{3a} , R^{4a} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic

PCT/EP 2004/008507

ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10a}$, $-OC(=O)R^{11a}$, $-(C=O)-OR^{11a}$, $-SR^{12a}$, $-SOR^{12a}$, $-SO_2R^{12a}$, $-NH-SO_2R^{12a}$, $-SO_2NH_2$ and a $-NR^{13a}R^{14a}$ moiety,

R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6a} , R^{7a} , R^{8a} , R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15a}$ moiety,

W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a $NR^{16a}R^{17a}$ -moiety or a COR^{18a} -moiety,

R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may

PCT/EP 2004/008507

be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13a} and R^{14a} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an

PCT/EP 2004/008507

optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

or R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18a} represents an optionally at least mono-substituted aryl radical,

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively,

for the manufacture of a medicament for the prophylaxis and/or treatment of food intake disorders; anxiety; panic; depression; cognitive disorders; preferably memory disorders; senile dementia processes, preferably selected

PCT/EP 2004/008507

from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington; psychosis; infantile hyperkinesia; ADHC (attention deficit/hyperactivity disorder); disorders of the gastrointestinal tract, preferably intestine syndrom; schizophrenia or for cognitive enhancement.

5

22. Use according to claim 21, characterized in that R^{1a} , R^{2a} , R^{3a} , R^{4a} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10a}, -OC(=O)R^{11a}, -SR^{12a}, -SOR^{12a}, -SO₂R^{12a}, -NH-SO₂R^{12a}, -SO₂NH₂ and a -NR^{13a}R^{14a} moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C_{1-3} -aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_5 - or C_6 -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_1 - or C_2 -alkylene group, a nitro group, a cyano group, -OR^{10a}, -OC(=O)R^{11a}, -SR^{12a} and -NR^{13a}R^{14a} moiety, more preferably selected from the group consisting of H, F, Cl, -CH₃, -CH₂CH₃, -CF₃, -CF₂CF₃, cyclopentyl, cyclohexyl, nitro, cyano and -OR^{10a}.

20

25

30

23. Use according to claim 21 or 22, characterized in that R^{5a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, preferably represents H or a

PCT/EP 2004/008507

branched or unbranched C₁₋₃-alkyl radical, more preferably H, -CH₃ or -CH₂CH₃.

24. Use according to any one of claims 21 to 23, characterized in that R^{6a}, R^{7a}, R^{8a}, R^{9a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, a cyano group and a -COOR^{15a} moiety, preferably selected from the group consisting of H, a branched or unbranched C₁₋₃-alkyl radical, a cyano group and a COOR^{15a} group, more preferably from the group consisting of H, -CH₃, -CH₂CH₃ and a cyano moiety.

25. Use according to any one of claims 21 to 24, characterized in that W^a represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₂₀ aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈ cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a NR^{16a}R^{17a}-moiety or a COR^{18a}-moiety,

preferably is selected from the group consisting of 1-Naphthyl-, 5-Dimethylamino-naphth-1-yl, 2-Naphthyl-, 2-Acetamido-4-methyl-5-thiazolyl-, 2-Thienyl-, 8-Quinoliny-, Phenyl-, Pentafluorophenyl-, 2,4,5-Trichloro-phenyl-, 2,5-Dichloro-phenyl-, 2-Nitrophenyl-, 2,4-Dinitro-phenyl-, 3,5-Dichloro-2-hydroxy-phenyl-, 2,4,6-Trisisopropyl-phenyl-, 2-Mesityl-, 3-Nitro-phenyl-, 4-Bromo-phenyl-, 4-Fluoro-phenyl-, 4-Chlorophenyl-, 4-Chloro-3-nitro-phenyl-, 4-Iodo-phenyl-, N-Acetyl-sulfanilyl-, 4-Nitro-phenyl-, 4-Methoxy-phenyl-, Benzoic-acid-4-yl-, 4-tert-Butyl-phenyl-, p-Tolyl-, Trifluoromethyl-,

PCT/EP 2004/008507

Trichloromethyl-, Isopropyl-, Methyl-, Benzyl-, trans-styryl-, 2,2,2-Trifluoroethyl-, Ethyl-, Hexadecyl-, 2-Chloroethyl-, n-Propyl-, 3-Chloro-propyl-, n-Butyl-, Methyl-benzoate-2-yl-, 2-Nitro-4-(trifluoromethyl)-phenyl-, Pentamethyl-phenyl-, 2,3,5,6-Tetramethyl-phenyl-, 3-(Trifluoromethyl)-phenyl-, 3,5-Bis-(Trifluoromethyl)-phenyl-, Dichloromethyl-, Chloromethyl-, Dodecyl-, 1-Octyl-, 2,3,4-Trichloro-phenyl-, 2,5-Dimethoxy-phenyl-, o-Tolyl-, p-xylyl-2-yl-, Benzoic-acid-3-yl-, 4-Chloro-3-(trifluoromethyl)-phenyl-, 4-Chloro-5-nitro-benzoic acid-3-yl-, 6-(p-toluidino)-naphth-2-yl-, 4-Methoxy-2,3,6-trimethylphenyl-, 3,4-Dichlorophenyl-, 4,5-Dibromo-thiophene-2-yl-, 3-Chloro-4-fluoro-phenyl-, 4-Ethyl-phenyl-, 4-n-Propyl-phenyl-, 4-(1,1-Dimethylpropyl)-phenyl-, 4-Isopropyl-phenyl-, 4-Bromo-2,5-difluoro-phenyl-, 2-Fluoro-phenyl-, 3-Fluoro-phenyl-, 4-(Trifluoromethoxy)-phenyl-, 4-(Trifluoromethyl)-phenyl-, 2,4-Difluoro-phenyl-, 2,4-Dichloro-5-methyl-phenyl-, 4-Chloro-2,5-dimethyl-phenyl-, 5-Diethylamino-naphth-2-yl-, Benzoyl chloride-3-yl-, 2-Chloro-phenyl-, 1-Octadecyl-, 4-Bromo-2,5-dichloro-thiophene-3-yl-, 2,5-Dichloro-thiophene-3-yl-, 5-Chloro-thiophene-2-yl-, 2-Methyl-5-nitro-phenyl-, 2-(Trifluoromethyl)-phenyl-, 3-Chloro-phenyl-, 3,5-Dichloro-phenyl-, 1-Decyl-, 3-Methyl-phenyl-, 2-Chloro-6-methyl-, 5-Bromo-2-methoxy-phenyl-, 3,4-Dimethoxy-phenyl-, 2,3-Dichloro-phenyl-, 2-Bromo-phenyl-, 3,5-Dichloro-4-(2-chloro-4-nitrophenoxy)-phenyl-, 2,3-Dichloro-thiophene-5-yl-, 3-Bromo-2-chloro-thiophene-5-yl-, 3-Bromo-5-chloro-thiophene-2-yl-, 2-(Benzoylaminomethyl)-thiophene-5-yl-, 4-(Phenyl-sulphonyl)-thiophene-2-yl-, 2-Phenyl-sulphonyl-thiophene-5-yl-, 3-Chloro-2-methyl-phenyl-, 2-[1-Methyl-5-(trifluoromethyl)pyrazol-3-yl]-thiophene-5-yl-, 5-Pyrid-2-yl-thiophene-2-yl-, 2-Chloro-5-(trifluoromethyl)-phenyl-, 2,6-Dichloro-phenyl-, 3-Bromo-phenyl-, 2-(Trifluoromethoxy)-phenyl-, 4-Cyano-phenyl-, 2-Cyano-phenyl-, 4-n-Butoxy-phenyl-, 4-Acetamido-3-chloro-phenyl-, 2,5-Dibromo-3,6-difluoro-phenyl-, 5-Chloro-1,3-dimethylpyrazole-4-yl-, 3,5-Dimethylisoxazole-4-yl-, 2-(2,4-Dichlorophenoxy)-phenyl-, 4-(2-Chloro-6-nitro-phenoxy)-phenyl-, 4-(3-Chloro-2-cyano-phenoxy)-phenyl-, 2,4-Dichloro-phenyl-, 2,4-Dimethyl-1,3-thiazole-5-yl-, Methyl-methane-sulfonyl-, 2,5-Bis-(2,2,2-Trifluoroethoxy)-phenyl-, 2-Chloro-4-(trifluoromethyl)-phenyl-, 2-Chloro-4-fluoro-phenyl-, 5-Fluoro-2-methyl-phenyl-, 5-Chloro-2-methoxy-phenyl-, 2,4,6-Trichloro-phenyl-, 2-Hydroxy-benzoic acid-5-yl-, 5-(Di-n-propylamino)-naphth-1-yl-, 6-Methoxy-m-tolyl-, 2,5-Difluoro-phenyl-, 2,4-Dimethoxy-phenyl-,

PCT/EP 2004/008507

2,5-Dibromo-phenyl-, 3,4-Dibromo-phenyl-, 2,2,5,7,8-Pentamethyl-chroman-6-yl-, 2-Methoxy-benzoic-acid-5-yl-, 5-Chloro-4-nitro-thiophene-2-yl-, 2,1,3-Benzothiadiazole-4-yl-, 1-Methyl-imidazole-4-yl-, Benzofurazan-4-yl-, 2-(Methoxycarbonyl)-thiophene-3-yl-, 5-(Isoxazol-3-yl)-thiophene-2-yl-, 2,4,5-Trifluoro-phenyl-, Biphenyl-4-yl-, Vinyl-phenyl-4-yl-, 2-Nitro-benzyl-, 5-Dichloromethyl-furan-2-yl-, 5-Bromo-thiophene-2-yl-, 5-(4-Chlorobenzamidomethyl)-thiophene-2-yl-, 2,6-Difluoro-phenyl-, 2,5-Dimethoxy-4-nitro-phenyl-, Dibenzo[b,d]-furan-2-yl-, 2,3,4-Trifluoro-phenyl-, 3-Nitro-p-tolyl-, 4-Methoxy-2-nitro-phenyl-, 3,4-Difluoro-phenyl-, 4-(Bromoethyl)-phenyl-, 3,5-Dichloro-4-hydroxy-phenyl-, 4-n-Amyl-phenyl-, 5-Chloro-3-methylbenzo[b]-thiophene-2-yl-, 3-Methoxy-4-(methoxycarbonyl)-thiophene-2-yl-, 4-n-Butyl-phenyl-, 2-Chloro-4-cyano-phenyl-, 5-[2-(Methylthio)-pyrimidin-4-yl]-thiophene-2-yl-, 3,5-Dinitro-4-methoxy-phenyl-, 4-Bromo-2-(trifluoromethoxy)-phenyl-, 4-Chloro-2,1,3-Benzoxadiazole-7-yl-, 2-(1-Naphthyl)-ethyl-, 3-Cyano-phenyl-, 5-Chloro-2,1,3-Benzoxadiazole-4-yl-, 3-Chloro-4-methyl-phenyl-, 4-Bromo-2-ethyl-phenyl-, 2,4-Dichloro-6-methyl-phenyl-, 6-Chloro-imidazo(2,1-B)-thiazole-5-yl-, 3-Methyl-benzo[b]-thiophene-2-yl-, 4-Methyl-sulphonyl-phenyl-, 2-Methyl-sulphonyl-phenyl-, 4-Bromo-2-methyl-phenyl-, 2,6-Dichloro-4-(trifluoromethyl)-phenyl-, 4-[[3-Chloro-5-(trifluoromethyl)-2-pyridinyl]oxy]-phenyl-, 5-Chloro-naphth-1-yl-, 5-Chloro-naphth-2-yl-, 9,10-Dibromoanthracene-2-yl-, Isoquinoline-5-yl-, 4-Methoxy-2,3,6-trimethyl-phenyl-, 4'-Nitro-biphenyl-4-yl-, [(4-Phenoxy)-phenyl-, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl)-4-phenyl-, 4-Acetyl-phenyl-, 5-(2-Methyl-1,3-thiazole-4-yl)-thiophene-2-yl-, 5-(1-Methyl-3-(trifluoromethyl)pyrazol-5-yl)-thiophene-2-yl-, 5-[5-Trifluoromethyl]-isoxazol-3-yl]-thiophene-2-yl-, 2-Iodo-phenyl-, p-Dodecyl-phenyl-, 4-[(3-Cyano-4-methoxy-2-pyridinyl)oxy]-phenyl-, 4-(N-phthalimidinyl)-phenyl-, 1,2,3,4-Tetrahydro-2-(trifluoroacetyl)-isoquinoline-7-yl-, 4-Bromo-2-fluoro-phenyl-, 2-Fluoro-5-(trifluoromethyl)-phenyl-, 4-Fluoro-2-(trifluoromethyl)-phenyl-, 4-Fluoro-3-(trifluoromethyl)-phenyl-, 2,4,6-Trifluoro-phenyl-, 3-(Trifluoromethoxy)-phenyl-, 1,2-Dimethylimidazole-4-yl-, Ethyl-4-Carboxylate-3-yl-, 2,2,4,6,7-Pentamethyldihydrobenzofuran-5-yl-, 3-Bromo-2-chloropyridine-5-yl-, 3-Methoxy-phenyl-, 2-Methoxy-4-methyl-phenyl-, 2-Chloro-4-fluorobenzoic-acid-5-yl-, 4-Chloro-naphth-1-yl-, 2,5-Dichloro-4-nitro-thiophene-3-yl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chloro-phenoxy)-

PCT/EP 2004/008507

phenyl-, 4-(3,5-Dichloro-phenoxy)-phenyl-, 4-(3,4-Dichloro-phenoxy)-phenyl-,
 4-(4-Fluoro-phenoxy)-phenyl-, 4-(4-Methyl-phenoxy)-phenyl-, 4-[4-
 (Trifluormethyl)-phenoxy-phenyl-, 4-[3,5-Bis-(trifluoromethyl)-phenoxy]-phenyl-
 , 3-(2-Methoxy-phenoxy)-phenyl-, [3-(2-Chloro-phenoxy)-phenyl-, 3-(2-Methyl-
 5 phenoxy)-phenyl-, 4-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 3-Phenyl-phenyl-,
 3-(4-Methoxy-phenyl)-phenyl-, 3-(4-Chloro-phenyl)-phenyl-, 3-(3,5-Dichloro-
 phenyl)-phenyl-, 3-(3,4-Dichloro-phenyl)-phenyl-, 3-(4-Fluorophenyl)-phenyl-,
 3-(4-Methylphenyl)-phenyl-, 3-[4-(Trifluoromethyl)-phenyl]-phenyl-, 3-[3,5-Bis-
 (Trifluoromethyl)-phenyl]-phenyl-, 4-(4-Pyridyloxy)-phenyl-, 4-(2-Methoxy-
 phenoxy)-phenyl-, 4-(2-Chloro-phenoxy)-phenyl-, 4-(2-Methyl-phenoxy)-
 phenyl-, 4-(4-Methoxy-phenoxy)-phenyl-, 4-(4-Chlorophenyl)-phenyl-, 4-(3,5-
 Dichlorophenyl)-phenyl-, 4-(3,4-Dichlorophenyl)-phenyl-, 4-(4-Fluorophenyl)-
 phenyl-, 4-(4-Methylphenyl)-phenyl-, 4-[4-(Trifluormethyl)-phenyl]-phenyl-, 4-
 [3,5-Bis-(Trifluoromethyl)-phenyl]-phenyl-, [3-(Trifluoromethyl)-phenyl]-methyl-,
 15 (4-Chlorophenyl)-methyl-, (3,5-Dichlorophenyl)-methyl-, (3,5-Dichlorophenyl)-
 methyl-, (4-Fluorophenyl)-methyl-, 4-Methylphenylmethyl-, [4-(Trifluoromethyl)-
 phenyl]-methyl-, Cyclopropyl-, 2-(2-Chlorophenyl)-2-Phenylethyl-, 2-(2-
 Trifluoromethylphenyl)-2-phenylethyl-, 5-[4-Cyano-1-methyl-5-(methylthio)-1H-
 pyrazol-3-yl-thiophene-2-yl-, 3-Cyano-2,4-bis-(2,2,2-Trifluorothoxy)-phenyl-, 4-
 20 [(2-Chloro-1,3-Thiazol-5-yl)-methoxy]-phenyl-, 3-Nitro-phenylmethyl-, 4-
 Formylphenyl-, 2-(1,3-Dioxo-1,3-dihydro-isoindol-2-yl)-ethyl-, [3,5-Bis-
 (Trifluoromethyl)-phenyl]-methyl-, (4-(2-Pyridyloxy)-phenyl)-, (4-(3-Pyridyloxy)-
 phenyl)-, 5-Iodo-naphth-1-yl-, Ethyl-2,5-dimethyl-1-phenylpyrrole-4-
 carboxylate-3-yl-, Ethyl-2-methyl-1,5-diphenyl-1H-pyrrole-3-carboxylate-4-yl-,
 25 Ethyl-5-(4-chlorophenyl)-2-methyl-3-furoate-4-yl, Ethyl-5-(4-chlorophenyl)-2-
 methyl-1-phenyl-3-carboxylate-4-yl-, Ethyl-2,5-dimethyl-3-furoate-4-yl-, 3-
 Chloro-4-(1,3-dioxo-2-Azaspiro[4,4]non-2-yl)-phenyl-, 5-Bromo-2,4-difluoro-
 phenyl-, 5-Chloro-2,4-difluorophenyl-, Coumarin-6-yl, 2-Methoxy-phenyl, (3-
 Phenoxy)-phenyl-, 3-(4-Methoxy-phenoxy)-phenyl-, 3-(4-Chlorophenoxy)-
 30 phenyl-, 3-(3,5-Dichlorophenoxy)-phenyl-, 3-(3,4-Dichlorophenoxy)-phenyl-, 3-
 (4-Fluorophenoxy)-phenyl-, 3-(4-Methylphenoxy)-phenyl-, 3-[4-
 (Trifluoromethyl)-phenoxy]-phenyl-, 3-[3,5-(Trifluoromethyl)-phenoxy]-phenyl-,
 3-[2-(Trifluoromethyl)-phenoxy]-phenyl-, 2,2-Diphenylethyl-, 4-Phenyl-5-
 (trifluoromethyl)-thiophene-3-yl-, Methyl-4-Phenyl-5-(Trifluoromethyl)-

PCT/EP 2004/008507

thiophene-2-carboxylate-3-yl-, Methyl-1,2,5-trimethylpyrrole-3-Carboxylate-4-yl-, 4-Fluoro-naphth-1-yl-, 3,5-Difluorophenyl-, 3-Fluoro-4-methoxy-phenyl-, 4-Chloro-2,5-difluorophenyl-, 2-Chloro-4,5-difluoro-phenyl-, 5-Fluoro-3-methylbenzo[b]-thiophene-2-yl-, Methyl-3-phenylproplionate-4-yl,

5 Dihydrocinnamic Acid-4-yl-, Methyl-2,5-dimethyl-3-furoate-4-yl-, Methyl-2-furoate-5-yl-, Methyl-2-methyl-3-furoate-5-yl-, Methyl-1-methyl-1H-pyrrole-2-Carboxylate-5-yl-, 2-(5-Chloro-1,2,4-Thiadiazol-3-yl)-thiophene-5-yl-, 1,3,5-Trimethyl-1H-pyrazole-4-yl-, 3-Chloro-5-fluoro-2-methylphenyl-,

10 Pentafluoroethoxytetrafluoroethyl-, 5-(5-Isoxazolyl)-thiophene-2-yl-, 5-(5-Isoxazol-yl)-2-furyl-, 5-Methyl-2,1,3-benzothiadiazole-4-yl-, Biphenyl-2-yl-, 2,3-Dihydro-1,4-benzodioxine-6-yl-, 4-Methyl-Naphth-1-yl-, 5-Methyl-2-(Trifluormethyl)-3-Furyl-, 2,3-Dihydrobenzo[b]furan-5-yl-, 1-Benzothiophene-3-yl-, 4-Methyl-3,4-dihydro-2H-1,4-Benzoxazine-7-yl-, 5-Methyl-1-phenyl-1H-pyrazole-4-yl-, 6-Morpholino-3-Pyridinyl-, 4-(1H-Pyrazol-1-yl)-phenyl-, 6-

15 Phenoxy-3-Pyridyl-, 3,4-Dihydro-2H-1,5-benzodioxepine-7-yl-, 5-(1,3-Oxazol-5-yl)-2-thienyl-, 4-(1,3-Oxazol-5-yl)-phenyl-, 5-Methyl-4-Isoxazolyl, 2,1,3-Benzothiadiazole-5-yl-, 3-Thienyl-, 2-Methyl-benzyl-, 3-Chloro-benzyl-, 5-Acetamido-naphth-1-yl-, 3-Methyl-8-Quinoliny-, 4-Chloro-2-nitrophenyl-, 6-Quinoliny-, 1,3-Benzothiazole-6-yl-, 2-Morpholino-3-Pyridyl-, 2,5-Dimethyl-3-thienyl-, 5-[5-(Chloromethyl)-1,2,4-oxadiazol-3-yl]-2-thienyl-, Ethyl-3-[5-yl-2-thienyl]-1,2,4-oxadiazole-5-carboxylate-, 3-(5-Methyl-1,3,4-oxadiazol-2-yl)-phenyl-, 4-Isopropoxyphenyl-, 2,4-Dibromophenyl-, 3-Cyano-4-fluorophenyl-,

20 2,5-Bis-(Trifluoromethyl)-phenyl, 2-Bromo-4-fluorophenyl-, 4-Bromo-3-fluorophenyl-, 4-(Difluoromethoxy)-phenyl-, 3-(Difluoromethoxy)-phenyl-, 5-Chloro-2-fluoro-phenyl-, 3-Chloro-2-fluorophenyl-, 2-Fluoro-4-methylphenyl-, 4-Nitro-3-(trifluoromethyl)-phenyl-, 3-Fluoro-4-methylphenyl-, 4-Fluoro-2-methylphenyl-, 4-Bromo-3-(trifluoromethyl)-phenyl-, 4-Bromo-2-(trifluoromethyl)-phenyl-, 3-Bromo-5-(trifluoromethyl)-phenyl-, 2-Bromo-4-(trifluoromethyl)-phenyl-, 2-Bromo-5-(trifluoromethyl)-phenyl-, 2,4-Dichloro-5-fluorophenyl-, 4,5-Dichloro-2-fluorophenyl-, 3,4,5-Trifluorophenyl-, 4-Chloro-2-fluorophenyl-, 2-Bromo-4,6-Difluorophenyl-, 2-Ethylphenyl-, 4-Bromo-2-chlorophenyl-, 4-Bromo-2,6-dichlorophenyl-, 2-Bromo-4,6-dichloro-phenyl-, 4-Bromo-2,6-dimethylphenyl-, 3,5-Dimethylphenyl-, 4-Bromo-3-methylphenyl-, 2-Methoxy-4-nitrophenyl-, 2,2-Dimethyl-6-Chromanyl-, Ethyl-3,5-dimethyl-1H-

30

PCT/EP 2004/008507

pyrrole-2-carboxylate-4-yl-, Imidazo[1,2-A]pyridine-3-yl-, 3-(1,3-Oxazol-5-yl)-phenyl-, Ethyl-5-[4-yl]-phenyl]-2-methyl-3-furoate, Methyl-3-(yl)-4-methoxybenzoate, 1-Pyrrolidinylphenylsulfonyl-, Methyl-5-yl-4-methyl-2-thiophene-carboxylate, Methyl-3-yl-4-(isopropylsulfonyl)-2-thiophene, 2-Pyridyl-, 3-Fluoro-4-nitrophenyl-, 7-Chlorochromone-3-yl-, 4'-Bromobiphenyl-4-yl-, 4'-Acetyl-biphenyl-4-yl-, 4'-Bromo-2'-fluoro-biphenyl-4-yl-, 2-Chloro-4-(3-propyl-Ureido)-phenyl-, 3-(-Bromoacetyl)-phenyl-, 2-Bromo-3-(trifluoromethyl)-phenyl-, 1-Methyl-5-Isatinyl-, 4-Isopropyl-benzoic-acid-3-yl-, 2-Chloro-3-thiophenecarboxylic-acid-5-yl-, 3-Pyridyl-, Cyclohexylmethyl-, 2-Methoxy-5-(N-phthalimidinyl)-phenyl-, 1-Benzothiophene-2-yl-, Morpholinophenylsulfonyl-, 3-(2-Methyl-4-pyrimidinyl)-phenyl-, and 2-Cyano-5-methylphenyl-.

26. Use according to any one of claims 21 to 25, characterized in that R^{10a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

27. Use according to any one of claims 21 to 26, characterized in that R^{11a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-

PCT/EP 2004/008507

5 membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

28. Use according to any one of claims 21 to 27, characterized in that R^{12a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

29. Use according to any one of claims 21 to 28, characterized in that R^{13a} and R^{14a} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C₁₋₄-alkyl radical,

PCT/EP 2004/008507

cyclohexyl and a phenyl radical, more preferably are each independently selected from the group consisting of H, -CH₃, -C₂H₅ and phenyl.

30. Use according to any one of claims 21 to 29, characterized in that R^{13a} and R^{14a} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.
31. Use according to any one of claims 21 to 30, characterized in that R^{15a} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4} -alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, $-CH_3$, $-C_2H_5$ or phenyl.
32. Use according to any one of claims 21 to 31, characterized in that R^{16a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.
33. Use according to any one of claims 21 to 32 characterized in that R^{17a} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.

PCT/EP 2004/008507

34. Use according to any one of claims 21 to 33, characterized in that one or more benzoxazinone-derived sulfonamide compounds of general formula (Ia) are selected from the group consisting of:

1-[1-(Naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-Phenylsulfonyl-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]-oxazin-2-one,

1-[1-(5-Chloro-3-methyl-benzo[b]thiophenyl-2-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-naphthyl-1-sulfonyl]-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

8-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-8-methyl-1,4-dihydrobenzo[d][1,3]oxazin-2-one,

1-[1-(5-Dimethylamino-naphthyl-1-sulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidine-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one,

1-[1-(2,3-Dichloro-phenylsulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one, and

PCT/EP 2004/008507

corresponding salts thereof, or corresponding solvates thereof.

35. Use according to any one of claims 21-34 for the regulation of appetite.

5

36. Use according to any one of claims 21-34 for the reduction, increase or maintenance of body weight.

37. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of obesity.

38. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of bulimia.

15

39. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of anorexia.

40. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of cachexia.

20


41. Use according to any one of claims 21-34 for the prophylaxis and/or treatment of type II diabetes.

25

30

PCT/EP 2004/008507

42. Benzoxazinone-derived sulfonamide compounds of general formula (Ib),



(Ib)

5 wherein

R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of hydrogen, halogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, $-OR^{10b}$, $-OC(=O)R^{11b}$, $-(C=O)-OR^{11b}$, $-SR^{12b}$, $-SOR^{12b}$, $-SO_2R^{12b}$, $-NH-SO_2R^{12b}$, $-SO_2NH_2$ and a $-NR^{13b}R^{14b}$ moiety,

PCT/EP 2004/008507

R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

R^{6b} , R^{7b} , R^{8b} , R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, a cyano group and a $-COOR^{15b}$ moiety,

W^b represents an unbranched or branched, saturated or unsaturated, aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C_{1-4} -alkoxy, branched or unbranched C_{1-4} -perfluoroalkoxy, branched or unbranched C_{1-4} -perfluoroalkyl, amino, carboxy, amido, cyano, nitro, $-SO_2NH_2$, $-CO-C_{1-4}$ -alkyl, $-SO-C_{1-4}$ -alkyl, $-SO_2-C_{1-4}$ -alkyl, $-NH-SO_2-C_{1-4}$ -alkyl, wherein the C_{1-4} -alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl-, thienyl-, pyrrolyl-, imidazolyl-, pyrazolyl-, pyridinyl-, pyrimidinyl-, quinolinyl- and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy,

a saturated or unsaturated, optionally at least one heteroatom as ring member containing cycloaliphatic radical,

whereby said cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C_{1-20} -alkyl, partially fluorinated C_{1-4} alkyl, partially chlorinated C_{1-4} alkyl, partially brominated C_{1-4} alkyl, C_{1-5} -alkoxy, partially fluorinated C_{1-4} alkoxy, partially chlorinated C_{1-4} alkoxy, partially brominated C_{1-4} alkoxy, C_{2-6} -alkenyl, SO_2-C_{1-4} -alkyl, $-(C=O)-C_{1-5}$ -alkyl, $-(C=O)-O-C_{1-5}$ -alkyl, $-(C=O)-Cl$, $-S-C_{1-4}$ -alkyl, $-(C=O)-H$, $-NH-(C=O)-NH-C_{1-5}$ -alkyl, $-(C=O)-C_{1-4}$ -perfluoroalkyl, $-NR^A R^B$, wherein R^A and R^B are

PCT/EP 2004/008507

independently selected from the group consisting of H, C₁₋₄-alkyl and phenyl, NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morphollinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl, -C(=O)-O-C₁₋₅-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br, and whereby said cycloaliphatic radical may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a NR^{15b}R^{17b}-moiety or a COR^{18b}-moiety,

R^{10b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

PCT/EP 2004/008507

R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{13b} and R^{14b} each are independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

PCT/EP 2004/008507

or R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member,

5 R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing cycloaliphatic radical or an optionally at least mono-substituted aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system,

R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

15 R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted aliphatic radical,

R^{18b} represents an optionally at least mono-substituted aryl radical,

20 optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively.

- 25 43. Compounds according to claim 42, characterized in that R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of H, F, Cl, Br, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least
- 30 mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl

PCT/EP 2004/008507

radical, which may be bonded via an optionally at least mono-substituted C₁₋₆ alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ringsystem, a nitro group, a cyano group, -OR^{10b}, -OC(=O)R^{11b}, -SR^{12b}, -SOR^{12b}, -SO₂R^{12b}, -NH-SO₂R^{12b}, -SO₂NH₂ and a -NR^{13b}R^{14b} moiety, preferably selected from the group consisting of H, F, Cl, Br, a saturated, branched or unbranched, optionally at least mono-substituted C₁₋₃-aliphatic radical, a saturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₅- or C₆-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁- or C₂-alkylene group, a nitro group, a cyano group, -OR^{10b}, -OC(=O)R^{11b}, -SR^{12b} and -NR^{13b}R^{14b} moiety, more preferably selected from the group consisting of H, F, Cl, Br, -CH₃, -CH₂CH₃, -CF₃, -CF₂CF₃, cyclopentyl, cyclohexyl, nitro, cyano and -OR^{10b}.

44. Compounds according to claim 42 or 43, characterized in that R^{5b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical or a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, preferably represents H or a branched or unbranched C₁₋₃-alkyl radical, more preferably H, -CH₃ or -CH₂CH₃, most preferably a hydrogen atom.

45. Compounds according to any one of claims 42 to 44, characterized in that R^{6b}, R^{7b}, R^{8b}, R^{9b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, a cyano group and a -COOR^{15b} moiety, preferably selected from the group consisting of H, a branched or unbranched C₁₋₃-alkyl radical, a cyano group and a COOR^{15b} group, more preferably from the group consisting of H, -CH₃, -CH₂CH₃ and a cyano moiety, most preferably each of R^{6b}, R^{7b}, R^{8b} and R^{9b} represent a hydrogen atom.

PCT/EP 2004/008507

46. Compounds according to any one of claims 42 to 45, characterized in that W^b represents an unbranched or branched, saturated or unsaturated, C₁₋₂₀ aliphatic radical, which may be substituted by one or more substituents selected from the group consisting of hydroxy, halogen, branched or unbranched C₁₋₄-alkoxy, branched or unbranched C₁₋₄-perfluoroalkoxy, branched or unbranched C₁₋₄-perfluoroalkyl, amino, carboxy, amido, cyano, nitro, -SO₂NH₂, -CO-C₁₋₄-alkyl, -SO-C₁₋₄-alkyl, -SO₂-C₁₋₄-alkyl, -NH-SO₂-C₁₋₄-alkyl, wherein the C₁₋₄-alkyl may in each case be branched or unbranched, an unsubstituted or at least mono-substituted phenyl or naphthyl radical and an unsubstituted or at least mono-substituted furanyl-, thienyl-, pyrrolyl-, imidazolyl-, pyrazolyl-, pyridinyl-, pyrimidinyl-, quinolinyl- and isoquinolinyl radical, whereby said substituents may be at least mono-substituted with F, Cl, methyl and methoxy; a saturated or unsaturated, optionally at least one heteroatom as ring member containing C₃₋₈ cycloaliphatic radical, whereby said C₃₋₈ cycloaliphatic radical may be substituted by one or more substituents selected from the group consisting of hydroxy, nitro, carboxy, cyano, keto, halogen, C₁₋₂₀-alkyl, partially fluorinated C₁₋₄ alkyl, partially chlorinated C₁₋₄ alkyl, partially brominated C₁₋₄ alkyl, C₁₋₅-alkoxy, partially fluorinated C₁₋₄ alkoxy, partially chlorinated C₁₋₄ alkoxy, partially brominated C₁₋₄ alkoxy, C₂₋₆-alkenyl, SO₂-C₁₋₄-alkyl, -(C=O)-C₁₋₅-alkyl, -(C=O)-O-C₁₋₅-alkyl, -(C=O)-Cl, -S-C₁₋₄-alkyl-, -(C=O)-H, -NH-(C=O)-NH-C₁₋₅-alkyl, -(C=O)-C₁₋₄-perfluoroalkyl, -NR^AR^B, wherein R^A and R^B are independently selected from the group consisting of H, C₁₋₄-alkyl and phenyl, NH-(C=O)-C₁₋₅-alkyl, -C₁₋₅-alkylen-(C=O)-C₁₋₅-alkyl, (1,3-Dihydro-1-oxo-2H-isoindol-2-yl), N-Phthalimidinyl-, (1,3-Dioxo-2-azaspiro[4,4]-non-2-yl, substituted or unsubstituted phenyl, -SO₂-phenyl, phenoxy, pyridinyl, pyridinyloxy, pyrazolyl, pyrimidinyl, pyrrolidinyl-, -SO₂-pyrrolidinyl, morpholinyl, SO₂-morpholinyl-, thiadiazolyl, oxadiazolyl, oxazolyl, thiazolyl, isoxazolyl, O-CH₂-thiazolyl, -NH-phenyl, and -C₁₋₄-Alkylen-NH-(C=O)-phenyl, whereby said substituents may be substituted by one or more substituents selected from the group consisting of halogen, nitro, cyano, hydroxy, -(C=O)-C₁₋₄-alkyl, C₁₋₄-alkyl, at least partially fluorinated C₁₋₄-alkyl, at least partially chlorinated C₁₋₄-alkyl, at least partially brominated C₁₋₄-alkyl, -S-C₁₋₄-alkyl, -C(=O)-O-C₁₋₆-alkyl, -(C=O)-CH₂-F, -(C=O)-CH₂-Cl and -(C=O)-CH₂-Br,

PCT/EP 2004/008507

and whereby said C₃₋₈ cycloaliphatic radical may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted aromatic mono- or polycyclic ring-system,

5

an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, a NR^{16b}R^{17b}-moiety or a COR^{18b}-moiety,

preferably W^b represents

15

a linear or branched C₁₋₂₀-alkyl radical, preferably an alkyl radical selected from the group consisting of methyl, ethyl, n-propyl, iso-propyl, n-butyl, isobutyl, sec-butyl, tert-butyl and 1,1-dimethyl-propyl; a linear or branched C₂₋₂₀-alkenyl radical; preferably a vinyl radical; -CF₃; -CHF₂; -CH₂F; -CCl₃; -CHCl₂; -CH₂Cl; -CH₂-CF₃; -CH₂-CH₂-Cl; -CH₂-CH₂-CH₂-Cl; -CH₂-S(=O)₂-CH₃; a cyclopropyl radical; a cyclobutyl radical; a cyclopentyl radical; a cyclohexyl radical; -CH₂-cyclopropyl; -CH₂-cyclobutyl; -CH₂-cyclopentyl; -CH₂-cyclohexyl; -N(CH₃)₂; -N(C₂H₅)₂; -N(n-CH₂-CH₂-CH₃)₂; phenyl; benzyl; naphthyl; -CH=CH-phenyl; -(CF₂)-(CF₂)-O-phenyl; -(CH₂)-naphthyl; -(CH₂)-(CH₂)-naphthyl; anthracenyl; -(C=O)-phenyl; thiophenyl; benzo[b]thiophenyl; furanyl; 2-oxo-2H-chromenyl; dibenzofuranyl; 2,3-dihydrobenzofuranyl; chromanyl; 2,3-dihydrobenzo[1,4]dioxinyl; 3,4-dihydro-2H-1,5-benzo-dioxepinyl; chromonyl; 1H-imidazolyl; pyridinyl; pyrrolidine-2,5-dionyl; pyrrolyl; 1H-pyrazolyl; 1H-pyrimidine-2,4-dionyl; quinolinyl; isoquinolinyl; 1H-Benzoimidazolyl; 1,4-dihydro-quinoxaline-2,3-dionyl; 1,2,3,4-tetrahydro-isoquinolinyl; 1,4-dihydrobenzo[b][1,4]diazepine-2,4-dionyl; 1,3-dihydro-1-oxo-2H-isoindolyl; phthalimidinyl; 2-(1,3-dioxo-1,3-dihydro-isoindol-2-yl)-ethyl; Imidazo[1,2-a]pyridine; isatinyl; thiazolyl; 1,3-thiazolyl; 1,2,4-thiadiazolyl; imidazo[2,1-b]thiazolyl; 1,3-benzothiazolyl; benzo[1,2,5]thiadiazolyl; 2-oxo-2,3-dihydrobenzothiazolyl; 2,1,3-benzothiadiazolyl; imidazo[2,1-b]thiazolyl; isoxazolyl; benzo[1,2,5]oxadiazolyl; benzo[d]isoxazolyl; benzofurazanyl;

30

PCT/EP 2004/008507

2-oxo-2,3-dihydro-benzooxazolyl; 3,4-dihydro-2H-benzo[1,4]oxazinyl; or 2,1,3-benzoxadiazolyl;

whereby each of these afore mentioned cyclic moieties may optionally be substituted with 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; n-butyl; iso-butyl; sec-butyl; tert-butyl; 1,1-dimethyl-propyl; n-pentyl; vinyl; cyclopropyl; cyclobutyl; cyclopentyl; cyclohexyl; morpholino; methoxy; ethoxy; n-propoxy; iso-propoxy; n-propoxy; F; Cl; Br; I; -CN; -OH; -CF₃; -CF₂H; -CH₂F; -CCl₃; -CClH₂; -CHCl₂; -CH₂F; -CH₂Cl; -CH₂Br; -(C=O)-CH₂Br; -OCF₃; -O-CH₂-CF₃; -O-CHF₂; -NO₂; -NH₂; -N(CH₃)₂; -N(C₂H₅)₂; -N(n-CH₂-CH₂-CH₃)₂; -N(n-CH₂-CH₂-CH₂-CH₃)₂; -NH-(C=O)-CH₃; -NH-phenyl; -(C=O)-CF₃; -(C=O)-OH; =O (oxo); -(C=O)-H; -S(=O)₂-CH₃; -S(=O)₂-isopropyl; -S(=O)₂-phenyl; -S(=O)₂-pyrrolidiny; -S(=O)₂-morpholino; -(CH₂)-(CH₂)-(C=O)-O-CH₃; -NH-(C=O)-NH-CH₂-CH₂-CH₃; -(C=O)-CH₃; -(C=O)-O-CH₃; -(C=O)-O-C₂H₅; -(CH₂)-NH-(C=O)-phenyl; -CH₂-C(H)(phenyl)(phenyl); -O-CH₂-thiazolyl; 1,3-dioxo-2-azaspiro[4.4]non-2-yl; phenyl; phenoxy; isoxazolyl; 1,3-oxazolyl; 1,2,4-oxadiazolyl; 1,3,4-oxadiazolyl; pyridinyl; pyridinyloxy; pyrazolyl; pyrimidinyl and phthalimidinyl; and

whereby each of the cyclic moieties of these afore mentioned substituents may optionally be substituted with 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; F; Cl; Br; I; CN; -CH₂F; -CH₂Cl; -CH₂Br; -CF₃ and -S-CH₃,

more preferably W^b represents


an alkyl radical selected from the group consisting of methyl; ethyl; n-propyl; iso-propyl; n-butyl; sec-butyl; iso-butyl and tert-butyl; vinyl (CH₂=CH); -N(CH₃)₂; 1-naphthyl; benzyl; 2-naphthyl; phenyl; 2-methyl-phenyl; 3-methyl-phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-

PCT/EP 2004/008507

isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl; 2-cyclohexyl-phenyl; 3-cyclohexyl-phenyl; 4-cyclohexyl-phenyl; 2-methoxy-phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-phenyl; 4-isopropoxy-phenyl; 2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-(C=O)-O-CH₃-phenyl; 3-(C=O)-O-CH₃-phenyl; 4-(C=O)-O-CH₃-phenyl; 2-(CH₂)-(CH₂)-(C=O)-O-CH₃; 3-(CH₂)-(CH₂)-(C=O)-O-CH₃; 4-(CH₂)-(CH₂)-(C=O)-O-CH₃; 2-cyano-phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-


PCT/EP 2004/008507

phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH₃-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl; 3-carboxy-4-chloro-6-fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl-; or one of the following groups:
















10

PCT/EP 2004/008507




PCT/EP 2004/008507



5

10

PCT/EP 2004/008507




5

10

46

PCT/EP 2004/008507



5

whereby in each case X denotes the position by which the respective substituent W^b is bonded to the $-SO_2$ group of formula (Ib).

10

PCT/EP 2004/008507

47. Compounds according to any one of claims 42 to 46, characterized in that R^{10b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4} -alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.
48. Compounds according to any one of claims 42 to 47, characterized in that R^{11b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably H, a linear or branched C_{1-4} -alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, $-CH_3$, $-C_2H_5$ or phenyl.
49. Compounds according to any one of claims 42 to 48, characterized in that R^{12b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be

PCT/EP 2004/008507

condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C₁₋₄-alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably H, -CH₃, -C₂H₅ or phenyl.

50. Compounds according to any one of claims 42 to 49, characterized in that R^{13b} and R^{14b} are each independently selected from the group consisting of hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C₁₋₆-aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C₃₋₈-cycloaliphatic radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, or an optionally at least mono-substituted, 5- or 6-membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C₁₋₆-alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably are each independently selected from the group consisting of H, a linear or branched C₁₋₄-alkyl radical, cyclohexyl and a phenyl radical, more preferably are each independently selected from the group consisting of H, -CH₃, -C₂H₅ and phenyl.

51. Compounds according to any one of claims 42 to 50, characterized in that R^{13b} and R^{14b} together with the bridging nitrogen atom form a saturated, unsaturated or aromatic, 5- or 6-membered heterocyclic ring, which may be at least mono-substituted and/or contain at least one further heteroatom as a ring member, preferably form an unsubstituted piperidin or morpholine group.

PCT/EP 2004/008507

52. Compounds according to any one of claims 42 to 51, characterized in that R^{15b} represents hydrogen, an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} -aliphatic radical, a saturated or unsaturated, optionally at least mono-substituted, optionally at least one heteroatom as ring member containing C_{3-8} -cycloaliphatic radical or an optionally at least mono-substituted, 5- or 6- membered aryl- or heteroaryl radical, which may be bonded via an optionally at least mono-substituted C_{1-6} -alkylene group and/or may be condensed with an optionally at least mono-substituted mono- or polycyclic ring-system, preferably represents H, a linear or branched C_{1-4} -alkyl radical, a cyclohexyl radical or a phenyl radical, more preferably represents H, $-CH_3$, $-C_2H_5$ or phenyl.
53. Compounds according to any one of claims 42 to 52, characterized in that R^{16b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.
54. Compounds according to any one of claims 42 to 53 characterized in that R^{17b} represents an unbranched or branched, saturated or unsaturated, optionally at least mono-substituted C_{1-6} aliphatic radical, preferably an unbranched or branched, saturated, unsubstituted C_{1-3} alkyl radical, more preferably a methyl radical.
55. Compounds according to any one of claims 42 to 54 characterized in that R^{18b} represents a phenyl radical, which is optionally at least mono-substituted by a C_{1-6} aliphatic radical, more preferably a phenyl radical, which is optionally at least mono-substituted by a methyl group.

PCT/EP 2004/008507

56. Compounds according to any one of claims 42 to 55, characterized in that

R^{1b} , R^{2b} , R^{3b} , R^{4b} are each independently selected from the group consisting of
a hydrogen atom; a fluorine atom; a chlorine atom; a bromine atom; a methyl
group and a methoxy group;

R^{5b} represents a hydrogen atom;

R^{6b} , R^{7b} , R^{8b} , R^{9b} each represent a hydrogen atom;


W^b represents

an alkyl radical selected from the group consisting of methyl; ethyl; n-propyl;
iso-propyl; n-butyl; sec.butyl; iso-butyl and tert-butyl; vinyl ($CH_2=CH-$); -
 $N(CH_3)_2$; 1-naphthyl; benzyl; 2-naphthyl; phenyl; 2-methyl-phenyl; 3-methyl-
phenyl; 4-methyl-phenyl; 2-ethyl-phenyl; 3-ethyl-phenyl; 4-ethyl-phenyl; 2-n-
propyl-phenyl; 3-n-propyl-phenyl; 4-n-propyl-phenyl; 2-isopropyl-phenyl; 3-
isopropyl-phenyl; 4-isopropyl-phenyl; 2-n-butyl-phenyl; 3-n-butyl-phenyl; 4-n-
butyl-phenyl; 2-iso-butyl-phenyl; 3-iso-butyl-phenyl; 4-iso-butyl-phenyl; 2-tert-
butyl-phenyl; 3-tert-butyl-phenyl; 4-tert-butyl-phenyl; 1,1-dimethylpropyl-
phenyl; 2-cyclopentyl-phenyl; 3-cyclopentyl-phenyl; 4-cyclopentyl-phenyl; 2-
cyclohexyl-phenyl; 3-cyclohexyl-phenyl; 4-cyclohexyl-phenyl; 2-methoxy-
phenyl; 3-methoxy-phenyl; 4-methoxy-phenyl; 2-ethoxy-phenyl; 3-ethoxy-
phenyl; 4-ethoxy-phenyl; 2-n-propoxy-phenyl; 3-n-propoxy-phenyl; 4-n-
propoxy-phenyl; 2-iso-propoxy-phenyl; 3-iso-propoxy-phenyl; 4-isopropoxy-
phenyl; 2-fluoro-phenyl; 3-fluoro-phenyl; 4-fluoro-phenyl; 2-chloro-phenyl; 3-
chloro-phenyl; 4-chloro-phenyl; 2-bromo-phenyl; 3-bromo-phenyl; 4-bromo-
phenyl; 2-trifluoromethyl-phenyl; 3-trifluoromethyl-phenyl; 4-trifluoromethyl-
phenyl; 2-trifluoromethoxy-phenyl; 3-trifluoromethoxy-phenyl; 4-
trifluoromethoxy-phenyl; 2-carboxy-phenyl; 3-carboxy-phenyl; 4-carboxy-
phenyl; 2-acetyl-phenyl; 3-acetyl-phenyl; 4-acetyl-phenyl; 2-($C=O$)-O- CH_3 -
phenyl; 3-($C=O$)-O- CH_3 -phenyl; 4-($C=O$)-O- CH_3 -phenyl; 2-(CH_2)-(CH_2)-(C=O)-
O- CH_3 ; 3-(CH_2)-(CH_2)-(C=O)-O- CH_3 ; 4-(CH_2)-(CH_2)-(C=O)-O- CH_3 ; 2-cyano-


PCT/EP 2004/008507

phenyl; 3-cyano-phenyl; 4-cyano-phenyl; 2-nitro-phenyl; 3-nitro-phenyl; 4-nitro-phenyl; 4-(4-bromophenoxy)-phenyl; 2-methylsulfonyl-phenyl; 3-methylsulfonyl-phenyl; 4-methylsulfonyl-phenyl; 2-phenyl-phenyl (biphenyl-2-yl); 3-phenyl-phenyl (biphenyl-3-yl); 4-phenyl-phenyl (biphenyl-4-yl); 2-phenoxy-phenyl; 3-phenoxy-phenyl; 4-phenoxy-phenyl; 2,4-dimethyl-phenyl; 3,4-dimethyl-phenyl; 2,4,6-trimethyl-phenyl; 2,3,5,6-tetramethyl-phenyl; pentamethyl-phenyl; 2,5-dimethoxy-phenyl; 3,4-dimethoxy-phenyl; 2,3-dichloro-phenyl; 2,4-dichloro-phenyl; 2,5-dichloro-phenyl; 3,4-dichloro-phenyl; 3,5-dichloro-phenyl; 2,6-dichloro-phenyl; 2,4-difluoro-phenyl; 3,4-difluoro-phenyl; 2,5-difluoro-phenyl; 2,6-difluoro-phenyl; 3-chloro-2-fluoro-phenyl; 3-chloro-4-fluoro-phenyl; 5-chloro-2-fluoro-phenyl; 2,3,4-trichloro-phenyl; 2,4,5-trichloro-phenyl; 2,4,6-trichloro-phenyl; 2,4,5-trifluoro-phenyl; 2,3,4-trifluoro-phenyl; 2-chloro-4,5-difluoro-phenyl; 2-bromo-4-fluoro-phenyl; 2-bromo-4,6-difluoro-phenyl; 4-chloro-2,5-difluoro-phenyl; 5-chloro-2,4-difluoro-phenyl; 4-bromo-2,5-difluoro-phenyl; 5-bromo-2,4-difluoro-phenyl; pentafluoro-phenyl; 2,4-dinitro-phenyl; 4-chloro-3-nitro-phenyl; 2-methyl-5-nitro-phenyl; 5-bromo-2-methoxy-phenyl; 3-chloro-2-methyl-phenyl; 4-bromo-3-methyl-phenyl; 4-chloro-2,5-dimethyl-phenyl; 4-fluoro-3-methyl-phenyl; 5-fluoro-2-methyl-phenyl; 2-nitro-4-trifluoromethyl-phenyl; 2-methoxy-4-methyl-phenyl; 3,5-dichloro-2-hydroxy-phenyl; 3,5-dichloro-4-hydroxy-phenyl; 5-chloro-2,4-difluoro-phenyl; 3-chloro-4-(NH)-(C=O)-CH₃-phenyl; 2-chloro-6-methyl-phenyl; 2-chloro-5-trifluoromethyl-phenyl; 2-chloro-5-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethoxy-phenyl; 4-bromo-2-trifluoromethyl-phenyl; 4-bromo-3-trifluoromethyl-phenyl; 3-carboxy-4-fluoro-phenyl; 3-carboxy-4-chloro-6-fluoro-phenyl; 4-methoxy-2,3,6-trimethyl-phenyl; or one of the following groups:













PCT/EP 2004/008507



PCT/EP 2004/008507



PCT/EP 2004/008507



5


10

MAY-30-2005 14:44

08-01

T-813 P.058/088 F-587

PCT/EP 2004/008507



5

10


56

AMENDED SHEET, 496 P.059

Empf.zeit: 30/05/2005 15:41

30-05-2005

PCT/EP 2004/008507



whereby in each case X denotes the position by which the respective substituent W^b is bonded to the $-\text{SO}_2$ group of formula (Ib).

optionally in form of one of its stereoisomers, preferably enantiomers or diastereomers, its racemate or in form of a mixture of at least two of its stereoisomers, preferably enantiomers or diastereomers, in any mixing ratio, or a physiologically acceptable salt thereof, or a solvate, respectively.

PCT/EP 2004/008507

57. Compounds according to any one of claims 42 to 56 selected from the following group:

| N° | Compound |
|----|--|
| 1 | 1-[1-(Naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 2 | 1-[1-(Toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 3 | 1-[1-Phenylmethanesulfonyl-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 4 | 1-[1-(Benzenesulfonyl-piperidin-4-yl)-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 5 | 6-Chloro-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 6 | 6-Chloro-1-[1-phenylmethanesulfonyl-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 7 | 6-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 8 | 6-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 9 | 6-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 10 | 1-[1-(Thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 11 | 1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 12 | 2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 13 | 1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 14 | 1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 15 | 1-[1-(2-Naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 16 | 8-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 17 | 1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 18 | 2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 19 | 1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 20 | 1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 21 | 8-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 22 | 4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonic acid dimethylamide |
| 23 | 2-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester |
| 24 | 1-[1-(3-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 25 | 2-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester |
| 26 | 8-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 27 | 1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 28 | 2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 29 | 6-Chloro-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 30 | 2-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester |
| 31 | 6-Chloro-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 32 | 6-Chloro-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 33 | 1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 34 | 1-[1-[4-(4-Bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 35 | 1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 36 | 8-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 37 | 8-Methyl-1-[1-phenylmethanesulfonyl-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 38 | 1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|----|--|
| | one |
| 39 | 6-Chloro-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 40 | 1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 41 | 1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 42 | 1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 43 | 1-[1-(Butane-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 44 | 6-Chloro-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 45 | 6-Chloro-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 46 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 47 | 8-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 48 | 8-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 49 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 50 | 8-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 51 | 6-Chloro-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 52 | 1-(1-Ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 53 | 1-[1-(Propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 54 | 1-[1-(Propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 55 | 6-Chloro-1-(1-ethanesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 56 | 6-Chloro-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 57 | 6-Chloro-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 58 | 6-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 59 | 1-[1-(4-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 60 | 6-Methyl-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 61 | 6-Methyl-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 62 | 6-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 63 | 1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 64 | 6-Methyl-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 65 | 6-Methyl-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 66 | 1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 67 | 6-Methyl-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 68 | 1-(1-Benzenesulfonyl-piperidin-4-yl)-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 69 | 1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 70 | 1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 71 | 1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 72 | 1-[1-(4-Chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 73 | 6-Chloro-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 74 | 6-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 75 | 1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 76 | 1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro- |

MAY-30-2005 14:45

Da-01

T-813 P.063/089 F-587

PCT/EP 2004/008507

| | |
|-----|---|
| | benzo[d][1,3]oxazin-2-one |
| 77 | 6-Chloro-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 78 | 1-[1-(4-Methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 79 | 1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 80 | 1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 81 | 1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 82 | 1-[1-(2-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 83 | 6-Chloro-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 84 | 1-[1-(2,3-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 85 | 1-[1-(2,4,5-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 86 | 8-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 87 | 6-Chloro-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 88 | 6-Methyl-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 89 | 1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 90 | 1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 91 | 1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 92 | 1-[1-(5-Bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 93 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 94 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 95 | 6-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 96 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 97 | 1-[1-(Pentamethylbenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 98 | 8-Methyl-1-[1-(pentamethylbenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 99 | 6-Chloro-1-[1-(pentamethylbenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 100 | 6-Methyl-1-[1-(pentamethylbenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 101 | 1-[1-[2-(2,2,2-Trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 102 | 8-Methyl-1-[1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 103 | 6-Chloro-1-[1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 104 | 6-Methyl-1-[1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 105 | 1-[1-(2-Methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 106 | 8-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 107 | 6-Chloro-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 108 | 6-Methyl-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|---|
| | benzo[d][1,3]oxazin-2-one |
| 109 | 1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 110 | 1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 111 | 1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 112 | 1-[1-(4-Bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 113 | 1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 114 | 1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 115 | 6-Chloro-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 116 | 1-[1-(4-Chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 117 | 1-[1-(4-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 118 | 1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 119 | 1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 120 | 6-Chloro-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 121 | 1-[1-(4-Isopropyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 122 | 1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 123 | 1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 124 | 6-Chloro-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 125 | 1-[1-(3-Chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 126 | 1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 127 | 6-Methyl-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 128 | 6-Methyl-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 129 | 1-[1-(4-Trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 130 | 1-[1-(2-Nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 131 | 1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 132 | 1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 133 | 1-[1-(2,4,6-Trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 134 | 1-[1-(2-Trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 135 | 8-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 136 | 8-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 137 | 1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 138 | 1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 139 | 8-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 140 | 8-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|---|
| | benzo[d][1,3]oxazin-2-one |
| 141 | 1-[1-(4-Fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 142 | 1-[1-(4-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 143 | 1-[1-(3-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 144 | 1-[1-(4-(4-Bromo-phenoxy)-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 145 | 1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 146 | 1-[1-(2-Nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 147 | 8-Methyl-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 148 | 1-(1-Benzenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 149 | 1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 150 | 1-[1-(2,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 151 | 1-[1-(4-(4-Bromo-phenoxy)-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 152 | 6-Methyl-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 153 | 1-[1-(Toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 154 | 1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 155 | 1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 156 | 1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 157 | 1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 158 | 1-(1-Pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 159 | 8-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 160 | 1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydrobenzo[d][1,3]oxazin-2-one |
| 161 | 1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 162 | 1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 163 | 1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 164 | 8-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 165 | 6-Methyl-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 166 | 1-[1-(5-Fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 167 | 1-[1-(4-Isopropoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 168 | 1-[1-(3-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 169 | 1-[1-(3,4-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 170 | 6-Methyl-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 171 | 6-Methyl-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 172 | 6-Methyl-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 173 | 1-[1-(3-Fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 174 | 1-[1-(2,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 175 | 6-Methyl-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 176 | 6-Methyl-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 177 | 1-[1-(3-Methoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|---|
| 178 | 6-Methyl-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 179 | 1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 180 | 1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 181 | 6-Methyl-1-[1-(phenylmethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 182 | 2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]benzoic acid methyl ester |
| 183 | 6-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 184 | 6-Chloro-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 185 | 6-Chloro-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 186 | 1-[1-(4-(4-Bromo-phenoxy)-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 187 | 6-Chloro-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 188 | 6-Chloro-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 189 | 6-Chloro-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 190 | 6-Chloro-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 191 | 6-Chloro-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 192 | 6-Chloro-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 193 | 6-Chloro-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 194 | 6-Chloro-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 195 | 6-Chloro-1-(1-pentafluorobenzenesulfonyl-piperidin-4-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 196 | 6-Chloro-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 197 | 6-Chloro-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 198 | 6-Chloro-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 199 | 6-Chloro-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 200 | 6-Chloro-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 201 | 6-Chloro-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 202 | 1-[1-(2-Oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 203 | 1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 204 | 1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 205 | 1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 206 | 1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 207 | 1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 208 | 8-Methyl-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 209 | 1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 210 | 1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 211 | 1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| 212 | 1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 213 | 1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 214 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 215 | 6-Chloro-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 216 | 1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 217 | 6-Chloro-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 218 | 6-Chloro-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 219 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 220 | 2-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 221 | 1-[1-(2,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 222 | 1-[1-(5-Bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 223 | 1-[1-(4-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 224 | 1-[1-(2,6-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 225 | 1-[1-(3,5-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 226 | 6-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 227 | 1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 228 | 1-[1-(4-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 229 | 1-[1-(1-Methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 230 | 1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 231 | 1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 232 | 1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 233 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 234 | 1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 235 | 1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 236 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 237 | 6-Chloro-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 238 | 6-Chloro-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 239 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 240 | 1-[1-(6-Chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 241 | 1-[1-(4-Ethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 242 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 243 | 1-[1-(7-Chloro-benzof[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 244 | 1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| | 2-one |
| 245 | 3-[4-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-propionic acid methyl ester |
| 246 | 1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 247 | 1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 248 | 1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 249 | 3-[4-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-propionic acid methyl ester |
| 250 | 1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 251 | 1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 252 | 1-[1-(2-Methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 253 | 3-[4-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-propionic acid methyl ester |
| 254 | 1-[1-(2,4-Dinitro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 255 | 6-Chloro-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 256 | 6-Chloro-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 257 | 3-[4-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-propionic acid methyl ester |
| 258 | 6-Chloro-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 259 | 6-Chloro-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 260 | 1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 261 | 8-Methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 262 | 1-[1-(5-Bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 263 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 264 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 265 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 266 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 267 | 1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 268 | 1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 269 | 6-Chloro-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 270 | 1-[1-(2,5-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 271 | 1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 272 | 1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 273 | 6-Chloro-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 274 | 1-[1-(4-Chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 275 | 1-[1-(2,4,5-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 276 | 8-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|---|
| | benzo[d][1,3]oxazin-2-one |
| 277 | 6-Chloro-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 278 | 6-Methyl-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 279 | 1-[1-(3,5-Dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 280 | 1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 281 | 1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 282 | 6-Chloro-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 283 | 1-[1-(2,6-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 284 | 1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 285 | 1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 286 | 6-Chloro-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 287 | 1-[1-(5-Chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 288 | 1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 289 | 1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 290 | 6-Chloro-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 291 | 1-[1-(2-Chloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 292 | 6-Chloro-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 293 | 6-Bromo-1-[1-(4-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 294 | 6-Bromo-1-[1-(toluene-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 295 | 6-Bromo-1-[1-(2,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 296 | 6-Bromo-1-[1-(2-naphthalen-1-yl-ethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 297 | 6-Bromo-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 298 | 6-Bromo-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 299 | 6-Bromo-1-[1-(3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 300 | 6-Bromo-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 301 | 6-Bromo-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 302 | 1-(1-Benzenesulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 303 | 6-Bromo-1-[1-[4-(4-bromo-phenoxy)-benzenesulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 304 | 6-Bromo-1-[1-(thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 305 | 6-Bromo-1-[1-(2-methyl-5-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 306 | 6-Bromo-1-[1-(4-bromo-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 307 | 6-Bromo-1-[1-(toluene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 308 | 6-Bromo-1-[1-(5-fluoro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 309 | 6-Bromo-1-[1-(4-isopropoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 310 | 6-Bromo-1-[1-(3-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| 311 | 6-Bromo-1-[1-(3,4-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 312 | 6-Bromo-1-[1-(pentafluorobenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 313 | 6-Bromo-1-[1-(4-chloro-2,5-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 314 | 6-Bromo-1-[1-(3-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 315 | 6-Bromo-1-[1-(4-isopropyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 316 | 6-Bromo-1-[1-(4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 317 | 6-Bromo-1-[1-(3-chloro-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 318 | 6-Bromo-1-[1-(pentamethylbenzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 319 | 6-Bromo-1-[1-(2-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 320 | 6-Bromo-1-[1-(4-chloro-3-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 321 | 6-Bromo-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 322 | 6-Bromo-1-[1-(4-nitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 323 | 1-[1-(4-Acetyl-benzenesulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 324 | 6-Bromo-1-[1-(4-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 325 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-5-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 326 | 6-Bromo-1-[1-(phenylmethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 327 | 6-Bromo-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 328 | 6-Bromo-1-[1-[2-(2,2,2-trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 329 | 6-Bromo-1-[1-(2,3-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 330 | 6-Bromo-1-[1-(2,4,5-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 331 | 6-Bromo-1-[1-(5-bromo-2-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 332 | 6-Bromo-1-[1-(4-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 333 | 6-Bromo-1-[1-(2-nitro-4-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 334 | 6-Bromo-1-[1-(3-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 335 | 6-Bromo-1-[1-(2,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 336 | 6-Bromo-1-[1-(2,4,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 337 | 6-Bromo-1-[1-(2-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 338 | 6-Bromo-1-[1-(2-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 339 | 6-Bromo-1-[1-(4-methoxy-2,3,6-trimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 340 | 1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 341 | 1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP.2004/008507

| | |
|-----|---|
| 342 | 8-Chloro-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 343 | 1-[1-(3,5-Dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 344 | 6-Bromo-1-[1-(3,5-dichloro-4-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 345 | 6-Chloro-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 346 | 6-Bromo-1-[1-(3,5-dichloro-2-hydroxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 347 | 2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 348 | 6-Bromo-1-[1-(4-methoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 349 | 2-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid methyl ester |
| 350 | 6-Bromo-1-[1-(3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 351 | 6-Bromo-1-[1-(2-oxo-2H-chromene-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 352 | 6-Bromo-1-[1-(3,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 353 | 6-Bromo-1-[1-(2,5-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 354 | 6-Bromo-1-[1-(5-bromo-6-chloro-pyridine-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 355 | 6-Bromo-1-[1-(4-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 356 | 6-Bromo-1-[1-(2,6-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 357 | 6-Bromo-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 358 | 6-Bromo-1-[1-(5-bromo-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 359 | 6-Bromo-1-[1-(4-ethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 360 | 6-Bromo-1-[1-(6-chloro-imidazo[2,1-b]thiazole-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 361 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 362 | 6-Bromo-1-[1-(7-chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 363 | 6-Bromo-1-[1-(2-methoxy-4-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 364 | 3-[4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-propionic acid methyl ester |
| 365 | 6-Bromo-1-[1-(2,4-dinitro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 366 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 367 | 6-Bromo-1-[1-(2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 368 | 6-Bromo-1-[1-(4-chloro-2,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 369 | 6-Bromo-1-[1-(2,4,5-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 370 | 6-Bromo-1-[1-(2,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 371 | 6-Bromo-1-[1-(5-chloro-2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 372 | 6-Bromo-1-[1-(2-chloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2- |

PCT/EP 2004/008507

| | |
|-----|---|
| | one |
| 373 | 6-Bromo-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 374 | N-[4-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-2-chloro-phenyl]-acetamide |
| 375 | 1-[1-(2,3,4-Trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 376 | 8-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 377 | 6-Chloro-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 378 | 6-Methyl-1-[1-(2,3,4-trifluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 379 | N-[2-Chloro-4-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-acetamide |
| 380 | 1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 381 | 1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 382 | 6-Chloro-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 383 | 1-[1-(3,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 384 | 6-Bromo-1-[1-(3,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 385 | N-[2-Chloro-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-acetamide |
| 386 | 1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 387 | 1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 388 | 6-Chloro-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 389 | 1-[1-(2-Chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 390 | 6-Bromo-1-[1-(2-chloro-4,5-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 391 | N-[2-Chloro-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-acetamide |
| 392 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 393 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 394 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 395 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 396 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 397 | N-[2-Chloro-4-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-phenyl]-acetamide |
| 398 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 399 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 400 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 401 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 402 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6-bromo-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 403 | 1-[1-(Ethanesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|---|
| 404 | 1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 405 | 1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 406 | 6-Chloro-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 407 | 1-[1-(2,4-Difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 408 | 6-Bromo-1-[1-(2,4-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 409 | 8-Methyl-1-[1-(propane-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 410 | 1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 411 | 1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 412 | 6-Chloro-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 413 | 1-[1-(3,4-Dichloro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 414 | 6-Bromo-1-[1-(3,4-dichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 415 | 8-Methyl-1-[1-(propane-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 416 | 1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 417 | 1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 418 | 6-Chloro-1-[1-(2-chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 419 | 1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 420 | 1-[1-(2-Chloro-6-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 421 | 8-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 422 | 1-[1-(2,3,4-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 423 | 8-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 424 | 6-Chloro-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 425 | 6-Methyl-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 426 | 6-Bromo-1-[1-(2,3,4-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 427 | 1-[1-(2,3,5,6-Tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 428 | 1-[1-(Thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 429 | 8-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 430 | 6-Chloro-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 431 | 6-Methyl-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 432 | 6-Bromo-1-[1-(thiophene-3-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 433 | 6-Chloro-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 434 | 1-[1-(2,4,6-Trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 435 | 8-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 436 | 6-Chloro-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 437 | 6-Methyl-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 438 | 6-Bromo-1-[1-(2,4,6-trichloro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 439 | 6-Methyl-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|--|
| | benzo[d][1,3]oxazin-2-one |
| 440 | 1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 441 | 1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 442 | 1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 443 | 6-Bromo-1-[1-(2-bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 444 | 6-Bromo-1-[1-(2,3,5,6-tetramethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 445 | 1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 446 | 1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 447 | 1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 448 | 1-[1-(4-Bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 449 | 6-Bromo-1-[1-(4-bromo-2-trifluoromethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 450 | 1-[1-(4-Phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 451 | 1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 452 | 1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 453 | 1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 454 | 1-[1-(3-Bromo-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 455 | 6-Bromo-1-[1-(3-bromo-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 456 | 8-Methyl-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 457 | 1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 458 | 1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 459 | 1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 460 | 1-[1-(4-tert-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 461 | 6-Bromo-1-[1-(4-tert-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 462 | 6-Chloro-1-[1-(4-phenoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 463 | 1-[1-(2-Bromo-4,6-difluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 464 | 1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 465 | 6-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 466 | 1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 467 | 6-Bromo-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 468 | 8-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 469 | 6-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 470 | 6-Methyl-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|---|
| 471 | 6-Bromo-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 472 | 1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 473 | 6-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 474 | 1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 475 | 6-Bromo-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 476 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 477 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 478 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 479 | 6-Bromo-1-[1-(4-butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 480 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 481 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 482 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 483 | 6-Bromo-1-[1-(4-bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 484 | 1-[1-(4-(1,1-Dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 485 | 6-Chloro-1-[1-(4-(1,1-dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 486 | 1-[1-(4-(1,1-Dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 487 | 6-Bromo-1-[1-(4-(1,1-dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 488 | 1-(1-Ethenesulfonyl-piperidin-4-yl)-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 489 | 3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 490 | 3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 491 | 3-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 492 | 1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 493 | 6-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 494 | 1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 495 | 6-Bromo-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 496 | N-(4-Methyl-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl)-acetamide |
| 497 | N-(5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl)-acetamide |
| 498 | N-(4-Methyl-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl)-acetamide |
| 499 | N-(5-[4-(6-Bromo-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl)-acetamide |
| 500 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 501 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 502 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|---|
| 503 | 6-Bromo-1-[1-(2-bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 504 | 1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 505 | 8-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 506 | 1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 507 | 6-Bromo-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 508 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 509 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 510 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 511 | 6-Bromo-1-[1-(4-bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 512 | 1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 513 | 1-[1-(4-Propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 514 | 1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 515 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 516 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 517 | 1-[1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 518 | N-[4-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiazol-2-yl]-acetamide |
| 519 | 1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 520 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 521 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 522 | 1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 523 | 1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 524 | 6-Fluoro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 525 | 6-Fluoro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 526 | 1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 527 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 528 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 529 | 1-[1-[4-(1,1-Dimethyl-propyl)-benzenesulfonyl]-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 530 | N-[5-[4-(6-Fluoro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl]-acetamide |
| 531 | 1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 532 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 533 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 534 | 1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|---|
| 535 | 6-Fluoro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 536 | 6-Fluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 537 | 1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 538 | 6-Fluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 539 | 6-Fluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 540 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 541 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 542 | 8-Methoxy-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 543 | 1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 544 | 8-Methoxy-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 545 | 8-Methoxy-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 546 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 547 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 548 | 5-Chloro-1-[1-(2-methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 549 | 5-Chloro-1-[1-(4-propyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 550 | 5-Chloro-1-[1-(3-chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 551 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 552 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 553 | 5-Chloro-1-[1-(4-(1,1-dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 554 | N-[5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl]-acetamide |
| 555 | 5-Chloro-1-[1-(3-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 556 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 557 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 558 | 5-Chloro-1-[1-(5-chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 559 | 5-Chloro-1-[1-(isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 560 | 1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 561 | 1-[1-(2-Methanesulfonyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 562 | 1-[1-(3-Chloro-2-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 563 | 1-[1-(4-Butyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 564 | 1-[1-(4-Bromo-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 565 | 1-[1-(4-(1,1-Dimethyl-propyl)-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 566 | N-[5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-methyl-thiazol-2-yl]-acetamide |
| 567 | 1-[1-(3-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| 568 | 1-[1-(2-Bromo-4-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 569 | 1-[1-(4-Bromo-3-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 570 | 1-[1-(5-Chloro-2-fluoro-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 571 | 1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride |
| 572 | 1-[1-(4-Methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 573 | 6-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 574 | 6-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 575 | 8-Methyl-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 576 | 6-Fluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 577 | 8-Methoxy-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 578 | 5-Chloro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 579 | 5-Chloro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 580 | 5-Chloro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 581 | 5-Chloro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 582 | 5-Chloro-1-[1-(5-chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 583 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 584 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 585 | 6-Bromo-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 586 | 2-Chloro-4-fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 587 | 2-Chloro-5-[4-(6-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-fluoro-benzoic acid |
| 588 | 2-Chloro-4-fluoro-5-[4-(6-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 589 | 2-Chloro-4-fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 590 | 2-Chloro-4-fluoro-5-[4-(8-methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 591 | 2-Chloro-5-[4-(5-chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-4-fluoro-benzoic acid |
| 592 | 3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 593 | 3-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 594 | 3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 595 | 1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride |
| 596 | 6-Chloro-1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride |
| 597 | 1-[1-(Isoquinoline-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one; hydrochloride |
| 598 | 6,7-Difluoro-1-[1-(quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 599 | 1-[1-(5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 600 | 6,7-Difluoro-1-[1-(naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 601 | 6,7-Difluoro-1-[1-(naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| 602 | 1-[1-(Benzo[b]thiophene-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 603 | 1-[1-(Benzo[b]thiophene-3-sulfonyl)-piperidin-4-yl]-8,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 604 | 1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 605 | 1-[1-(Biphenyl-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 606 | 1-[1-(Benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 607 | 1-[1-(Benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 608 | 1-[1-(7-Chloro-benzo[1,2,5]oxadiazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 609 | 6,7-Difluoro-1-[1-(4-methyl-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 610 | 1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 611 | 1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 612 | 1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 613 | 1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 614 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 615 | 1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 616 | 1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 617 | 1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 618 | 1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 619 | 1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 620 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 621 | 1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 622 | 5-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 623 | 5-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 624 | 5-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 625 | 5-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 626 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 627 | 5-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 628 | 1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 629 | 1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 630 | 1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 631 | 1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 632 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 633 | 1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 634 | 6-Chloro-1-[1-(4-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 635 | 6-Chloro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |

PCT/EP 2004/008507

| | |
|-----|--|
| 636 | 6-Chloro-1-[1-(dibenzofuran-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 637 | 6-Chloro-1-[1-(2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 638 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 639 | 6-Chloro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 640 | 1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 641 | 1-[1-(4-Fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 642 | 1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 643 | 1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 644 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 645 | 1-[1-(5-Isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 646 | 1-[1-(4-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 647 | 6,7-Difluoro-1-[1-(4-fluoro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 648 | 1-[1-(Dibenzofuran-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 649 | 1-[1-(2,3-Dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 650 | 1-[1-(Biphenyl-2-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 651 | 6,7-Difluoro-1-[1-(5-isoxazol-5-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 652 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 653 | 1-[1-(5-Methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 654 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 655 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 656 | 8-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 657 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 658 | 6-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 659 | 6-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 660 | 6-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 661 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 662 | 8-Methoxy-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 663 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 664 | 5-Chloro-1-[1-(1,2-dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 665 | 5-Chloro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 666 | 5-Chloro-1-[1-(3,5-dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 667 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|--|
| | benzo[d][1,3]oxazin-2-one |
| 668 | 6-Methyl-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 669 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 670 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 671 | 6-Fluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 672 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 673 | 1-[1-(1,2-Dimethyl-1H-imidazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 674 | 6,7-Difluoro-1-[1-(5-methyl-benzo[1,2,5]thiadiazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 675 | 1-[1-(3,5-Dimethyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 676 | 1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 677 | 1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 678 | N-[5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-acetamide |
| 679 | 1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 680 | 1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 681 | N-[5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-acetamide |
| 682 | 5-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 683 | 5-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 684 | N-[5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-acetamide |
| 685 | 1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 686 | 1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 687 | N-[5-[4-(8-Methoxy-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-acetamide |
| 688 | 2,5-Dimethyl-4-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester |
| 689 | 8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 690 | 1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 691 | 8-Methyl-1-[1-(2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 692 | 1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 693 | 2,5-Dimethyl-4-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-furan-3-carboxylic acid methyl ester |
| 694 | 1-[1-(4-Fluoro-3-methyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 695 | 1-[1-(2-Oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 696 | 1-[1-(4-Cyclohexyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 697 | 2-Fluoro-5-[4-(8-methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 698 | 2-Fluoro-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzoic acid |
| 699 | 1-[1-(2-Oxo-2,3-dihydro-benzothiazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|--|
| | benzo[d][1,3]oxazin-2-one |
| 700 | 1-[1-(5-Pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 701 | 3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 702 | 3-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester |
| 703 | 1-[5-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione |
| 704 | 1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 705 | 1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 706 | 8-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 707 | 3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 708 | 3-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester |
| 709 | 1-[5-[4-(8-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione |
| 710 | 1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 711 | 1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 712 | 5-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 713 | 3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 714 | 3-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester |
| 715 | 1-[5-[4-(5-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione |
| 716 | 5-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 717 | 5-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 718 | 6-Methyl-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 719 | 3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 720 | 3-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester |
| 721 | 1-[5-[4-(6-Methyl-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione |
| 722 | 1-[1-(2-Chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 723 | 1-[1-(3,4-Dimethyl-benzenesulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 724 | 6-Chloro-1-[1-(5-pyridin-2-yl-thiophene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 725 | 3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-benzonitrile |
| 726 | 3-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-thiophene-2-carboxylic acid methyl ester |
| 727 | 1-[5-[4-(6-Chloro-2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-1-yl]-pyrrolidine-2,5-dione |
| 728 | 6-Chloro-1-[1-(2-chloro-5-trifluoromethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 729 | 6-Chloro-1-[1-(3,4-dimethyl-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 730 | 1-[1-(5-Methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 731 | 1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 732 | 1-[1-(4-Methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 733 | 1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|--|
| | benzo[d][1,3]oxazin-2-one |
| 734 | 1-[1-(1,3,5-Trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 735 | 1-[1-(3-Methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 736 | 8-Methyl-1-[1-(5-methyl-isoxazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 737 | 1-[1-(2,2-Dimethyl-chroman-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 738 | 8-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 739 | 1-[1-(2,3-Dihydro-benzo[1,4]dioxine-6-sulfonyl)-piperidin-4-yl]-8-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 740 | 8-Methyl-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 741 | 8-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 742 | 8-Methoxy-1-[1-(1,3,5-trimethyl-1H-pyrazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 743 | 8-Methoxy-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 744 | 1-[1-(Benzo[d]isoxazol-3-ylmethanesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 745 | 1-[1-(2,2,4,6,7-Pentamethyl-2,3-dihydro-benzofuran-5-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 746 | 8-Methyl-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1H-pyrimidine-2,4-dione |
| 747 | 1-[1-(3-Methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 748 | 1-[1-(2,2,5,7,8-Pentamethyl-chroman-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 749 | 1,4-Dimethyl-8-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,4-dihydro-quinoxaline-2,3-dione |
| 750 | 1-[1-(1H-Imidazole-4-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 751 | 1-[1-(2-Oxo-1,2,3,4-tetrahydro-quinoline-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 752 | 7-[4-(2-Oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-1,5-dihydro-benzo[b][1,4]diazepine-2,4-dione |
| 753 | 8-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 754 | 6-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 755 | 5-Chloro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 756 | 8-Methoxy-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 757 | 1-[1-(Pyridine-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 758 | 1-[1-(6,7-Dihydroxy-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 759 | Acetic acid 3-acetoxy-5-[4-(2-oxo-4H-benzo[d][1,3]oxazin-1-yl)-piperidine-1-sulfonyl]-naphthalen-2-yl ester |
| 760 | 1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 761 | 1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 762 | 1-[1-(1H-Benzoimidazole-2-sulfonyl)-piperidin-4-yl]-5-chloro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 763 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 764 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 765 | 1-[1-(2,5-Dimethoxy-benzenesulfonyl)-piperidin-4-yl]-6,7-difluoro-1,4-dihydro- |

PCT/EP 2004/008507

| | |
|-----|--|
| | benzo[d][1,3]oxazin-2-one |
| 766 | 5-Chloro-1-[1-(2,5-dimethoxy-benzenesulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 767 | 1-[1-(5-Dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-8-methoxy-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 768 | 5-Chloro-1-[1-(5-dimethylamino-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 769 | 6-Chloro-1-[1-(5-chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 770 | 1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 771 | 1-[1-(5-Chloro-naphthalene-1-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 772 | 6-Chloro-1-[1-(5-chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 773 | 1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-methyl-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 774 | 1-[1-(5-Chloro-naphthalene-2-sulfonyl)-piperidin-4-yl]-6-fluoro-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 775 | 6-Methyl-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 776 | 6-Fluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 777 | 6,7-Difluoro-1-[1-(3-methyl-quinoline-8-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 778 | 6-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 779 | 6-Methyl-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 780 | 6-Fluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 781 | 6,7-Difluoro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 782 | 5-Chloro-1-[1-(3-methyl-2-oxo-2,3-dihydro-benzooxazole-6-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 783 | 6-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 784 | 6-Methyl-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 785 | 6-Fluoro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 786 | 8-Methoxy-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |
| 787 | 5-Chloro-1-[1-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-piperidin-4-yl]-1,4-dihydro-benzo[d][1,3]oxazin-2-one |


MAY-30-2005 14:52

Da-01

T-814 P.085/089 F-597


PCT/EP 2004/008507

58. Process for the preparation of benzoxazinone-derived sulfonamide compounds of general formula (Ib) according to one or more of claims 42 to 57, characterized in that it comprises reacting at least one piperidine compound of general formula (IIb), wherein R^{1b} to R^{9b} have the meaning according to one or more of claims 42-57 and/or a salt, preferably a hydrochloride salt, thereof,



(IIb)

with at least one compound of general formula (IIIb),



(IIIb)

wherein W^b has the meaning according to one or more of claims 42-57, in a suitable reaction medium, optionally in the presence of at least one base and/or at least one auxiliary agent.

MAY-30-2005 14:52

Ds-01

T-814 P.086/089 F-597

PCT/EP 2004/008507

59. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 42-57, characterized in that at least one compound of general formula (Ib) having at least one basic group is reacted with at least one acid, preferably an inorganic or organic acid, preferably in the presence of a suitable reaction medium.
60. Process for the preparation of a physiologically acceptable salt of the benzoxazinone-derived sulphonamide compounds according to claims 42-57, characterized in that at least one compound of general formula (Ib) having at least one acidic group is reacted with at least one base, preferably in the presence of a suitable reaction medium.
61. Medicament comprising at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 and optionally one or more pharmaceutically acceptable adjuvants.
62. Medicament according to claim 61 for the prophylaxis and/or treatment of food intake disorders, preferably for the regulation of appetite, for the maintenance, increase or reduction of body weight, for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia, for the prophylaxis and/or treatment of cachexia, for the prophylaxis and/or treatment type II diabetes (non-insulin dependent diabetes mellitus).
63. Medicament according to claim 61 for the prophylaxis and/or treatment of gastrointestinal disorders, preferably irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, preferably memory disorders; for improvement of cognition (for cognitive enhancement); for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders;

MAY-30-2005 14:52

De-01

T-814 P.087/089 F-597

PCT/EP 2004/008507

preferably selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the prophylaxis and/or treatment of schizophrenia or for the prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder).

- 5
64. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 for the manufacture of a medicament for the prophylaxis and/or treatment of food intake disorders.
- 10 65. Use according to claim 64 for the regulation of appetite, for the reduction, increase or maintenance of body weight; for the prophylaxis and/or treatment of obesity, for the prophylaxis and/or treatment of bulimia, for the prophylaxis and/or treatment of anorexia; for the prophylaxis and/or treatment of cachexia; or for the prophylaxis and/or treatment of type II diabetes.
- 15 66. Use of at least one benzoxazinone-derived sulphonamide compound according to any one of claims 42-57 for the manufacture of a medicament for the prophylaxis and/or treatment of of gastrointestinal disorders, preferably irritable colon syndrome; for the prophylaxis and/or treatment of disorders of the central nervous system; for the prophylaxis and/or treatment of anxiety; for the prophylaxis and/or treatment panic attacks; for the prophylaxis and/or treatment of depression; for the prophylaxis and/or treatment of bipolar disorders; for the prophylaxis and/or treatment cognitive disorders, preferably memory disorders; for improvement of cognition (for cognitive enhancement);
- 20 for the prophylaxis and/or treatment of senile dementia; for the prophylaxis and/or treatment of psychosis; for the prophylaxis and/or treatment neurodegenerative disorders; preferably selected from the group consisting of Morbus Alzheimer, Morbus Parkinson, Morbus Huntington and Multiple Sclerosis; for the prophylaxis and/or treatment of schizophrenia; or for the
- 25 prophylaxis and/or treatment hyperactivity disorder (ADHD, attention deficit, hyperactivity disorder).
- 30